



# Gill Tailor

◆ THE ART OF BESPOKE ◆

# Contents

Basic Guideline before Measuring.....	1
Measure Regulation of Shirt.....	2
Chest.....	2
Stomach.....	3
Seat.....	4
Shoulder.....	5
Bicep.....	6
Sleeve Length.....	7
Cuff.....	8
Back Length.....	9
Neck.....	10



## Basic Guideline before Measuring


To ensure the measurements are precise, please pay attention to the following tips:

1. Put the garment on the table or floor and make sure it is flat and smooth without any wrinkle before measuring.
2. Please follow our regulation strictly for each item to guarantee the finished garment made by us is exactly the same as your original one.

If you have any question or meet any special situation when you are taking the measurement, please free feel to contact our customer representative directly.



# Measure Regulation of Shirt



1. Chest: Keep the shirt flat without wrinkle, fasten the buttons, measure horizontally at bottom of armhole top stitch, twice of this measurement is finished chest.

# Measure Regulation of Shirt



2. Stomach: Measure at the narrowest part of the waist, twice of this measurement is finished stomach

# Measure Regulation of Shirt



3. Seat: Measure horizontally between the bottom of side seam, twice of this measurement is finished seat.

## Measure Regulation of Shirt



4. Shoulder: Keep the back side on top, measure from left shoulder point to the right shoulder point.

## Measure Regulation of Shirt



5. Bicep: Keep the sleeve flat, measure from the bottom crossing of sleeve armhole vertically to the opposite side, twice of this measurement is finished bicep.



## Measure Regulation of Shirt



6. Sleeve Length: Measure from top of sleeve along the out seam to the cuff edge.

## Measure Regulation of Shirt



7. Cuff: Keep the cuff flat and open, measure the distance between the cuff edges

## Measure Regulation of Shirt



8. Back length: Measure from the center of back neckline vertically down to the bottom edge.

## Measure Regulation of Shirt



9. Collar: Measure from center of button to center of buttonhole